



DATE: May 17, 2019

TO: Heather Jefts, Petitioner, Place 5 Candidate  
Rodney T. Robinson, Place 5 Candidate

SUBJECT: Recount of May 4, 2019 General Election, Council Place 5;  
Notice Of Recount

A recount has been ordered for the above-referenced Election. The recount will be conducted in accordance with the applicable provisions of Texas Election Code, Title 13, particularly Chapter 213 Conduct of Recount and Chapter 214 Counting Procedures.

The recount will be conducted on Tuesday, May 21<sup>st</sup> beginning at 9:00 a.m., and if necessary, Wednesday, May 22<sup>nd</sup>. Committee members should arrive no later than 8:30 a.m. Breakfast and lunch will be provided.

Location: Williamson County Elections Department  
Williamson County Inner Loop Annex, Suite 104  
301 SE Inner Loop  
Georgetown, TX 78626

The Recount Committee will be comprised of the following:

	Chair: Barbara Boulware-Wells	
	<u>Team 1</u>	<u>Team 2</u>
Caller	SaraMarie Blunt	Linda Haywood
Vote Counter (PP)	Linda Jewett	Kim Gilby
Vote Counter (Candidate)	Shellie Hayes-McMahon	Jeanne Newman

Pursuant to Section 213.013, each Candidate is entitled to be present at the recount and appoint up to two (2) watchers to observe the recount process. Please note, each watcher must provide a certificate of appointment in accordance with Section 213.013 (e) and (f).

State statute specifies who may be present at the recount. According to the Texas Election Code the recount is not open to the public or media. You may find more detailed information about this on the Texas Secretary of State's website at <https://www.sos.state.tx.us/elections/laws/recounts.shtml>.

If you have additional questions, please free to contact me.

Respectfully,

A handwritten signature in blue ink, appearing to read "LeAnn M. Quinn".

---

LeAnn M. Quinn  
Recount Supervisor/Coordinator

CC: Cedar Park City Council  
J.P. LeCompte, City Attorney  
Brenda Eivens, City Manager  
Chris Davis, Williamson County Elections Administrator  
Recount Committee Members